

ATEST HIGIENICZNY

HYGIENIC CERTIFICATE



Hygienic certificate number: **AH 109/322/109/2024**

Date of issue: **05.11.2024 r.**

Product: Lacquerd HDF board

Intended use: Furniture and doors production, interior's decorate

Manufacturer: Woodeco MDF sp. z o.o., Wiórowa 1 St., PL-19-203 Grajewo

The substantive basis for issuing the certificate: Application (institution presenting the product for assessment: Woodeco sp. z o.o., Strzegomska 42AB St., PL-53-611 Wrocław) dated 15.10.2024 (no. 322/109/109/2024) including the required documentation.

According to the currently available knowledge, the assessed product (when used in accordance with the manufacturer's guidelines) should not pose a risk to human health.

Recommendations and comments:

- The product meets the requirements of hygiene on the following conditions:
 - the load the material amounts 1.8 m²/m³ in relation to the cubage of residential premises, premises intended for permanent stay of patients in health service buildings, children and young people in school buildings and of premises intended for storing food products - hereinafter referred as to the "places of A category"
 - load the material amounts 3.6 m²/m³ the cubage of premises in public buildings other than those listed above and auxiliary premises in apartments - hereinafter referred as to the "places of B category" according to the Regulation of Minister of Health and Social Care dated on 12th March of 1996.
- The certificate does not concern working conditions and occupational hygiene during the assembly of product.
- Basis of certificate: applications of OB-RPPD sp. z o.o. BW/452/0042/21 dated 19 January 2021, Certificate of Examination no. 10253/116/2021 dated 19 January 2021 issued by Research Development Centre for Wood – Based Panels in Czarna Woda.
- Hygienic Class E-1

Hygienic certificate does not include the assessment of the utility values, technical parameters and allergenic properties of the product.

The certificate may be changed or canceled after presenting relevant evidence by either party. This certificate expires after **25.01.2026** or in the case of changes in the recipe or production technology of the product, its intended use and after changes of legal regulations related to the assessed product.

KIEROWNIK
Zakładu Toksykologii Środowiska

prof. dr hab. Lidia Wojska